
### **Bayer Environmental Science**

### **Material Safety Data Sheet**



# MAXFORCE® Professional Insect Control® Granular Insect Bait

#### SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name Chemical Name Common Name	MAXFORCE® Professional Insect Control® Granular Insect Bait
MSDS Number Chemical Family Chemical Formulation	1773
EPA Registration No.	432-1255
Product Use	The following data was taken from the American Cyanamid MSDS for Hydramethylnon Issue Date March 3, 1991.
	MaxForce® Granular Insect Bait is a ready to use product for use in and around buildings, on lawns, and other non-crop areas for control of roaches, crickets and a variety of ants species.
Bayer Enviro 95 Chestnut Montvale, N. USA	5

For MEDICAL, TRANSPORTATION or Other EMERGENCY call 1-800-334-7577 24 hours/day For Product Information call 1-800-331-2867

# SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTSHazardous Component NameCAS No.Concentration % by Weight<br/>MinimumHydramethylnon67485-29-41.0000

#### **SECTION 3. HAZARDS IDENTIFICATION**

NOTE: Please refer to Section 11 for detailed toxicological information.

**Emergency Overview** Hazard to humans and domestic animals. Keep out of reach of children and animals. Applicators should wear gloves and wash hands thoroughly after handling. Avoid prolonged exposure to sunlight (active will degrade). Do not apply directly to water.

Odor

None

MSDS Version 1.4

# MAXFORCE® Professional Insect Control® Granular Insect Bait

Immediate Effects Eye	Avoid contact with the eyes.
Skin	Avoid contact with skin.
Ingestion	May be harmful if swallowed.
Medical Conditions Aggravated by Exposure	No specific medical conditions are known which may be aggravated by exposure to this product.

#### **SECTION 4. FIRST AID MEASURES**

Ingestion	Obtain medical attention. Do not induce vomiting or give anything by mouth to an
	unconscious person. If swallowed, drink two glasses of water and induce
	vomiting by touching the back of the throat with finger.

#### **SECTION 5. FIRE FIGHTING MEASURES**

Flash Point	94 °C / 201 °F Method: Tagliabue Closed Cup Not flammable or explosive
Fire and Explosion Hazards	Avoid heavy hose streams, airborne dusts of the active ingredient, Hydramethylnon, may create explosive hazard.
Suitable Extinguishing Media	Water, Foam, Carbon dioxide (CO2), Dry chemical
	Water, Foam, Carbon dioxide (CO2), Dry chemical
Fire Fighting Instructions	Wear self-contained, positive pressure breathing apparatus and full fire fighting protective clothing.
	Keep unnecessary people away. Use as little water as possible. Dike area of fire to prevent pesticide run-off. Use spray or fog - solid stream may cause spreading.
	Conduct fire fighting and rescue operations from upwind of the fire area. Evacuate people downwind who may come in contact with smoke, fumes, or contaminated surfaces. Do not decontaminate personnel or equipment, or handle broken packages or containers without protective equipment as specified in the Section 8. Decontaminate emergency personnel with soap and water before leaving the fire area.
	Avoid breathing dusts, vapors and fumes from burning materials. Alert medical personnel to be ready to treat for pesticide poisoning. Control run-off water - if water enters a drainage system, advice the authorities downstream.
Dust Explosion Class	The active ingredient, Hydramethylnon, has been treated in a 20-liter spherical bomb (per NFPA 68-1978) and has been found to be a Class 2 dust explosive hazard. If the material is further processed, the dust explosion hazard may change and it should be retested.

# MAXFORCE® Professional Insect Control® Granular Insect Bait

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

General and Disposal	Place in a container for disposal. Sweep up spilled material. Non-hazardous
	waste. Wear appropriate gear for the situation. See Personal Protection
	information in Section 8. Flush with water.

#### **SECTION 7. HANDLING AND STORAGE**

Handling Procedures	Do not use on edible food or on areas intended for edible food crop production. Avoid contamination of food, food contact surfaces and feedstuffs. Indoor applications are limited to areas that are inaccessible to children or pets.
Storing Procedures	Pets may be attracted to this product. Keep pets away from treated areas for at least 24 hours after application.
	Do not contaminate water, food, or feed by storage or disposal. Keep away from sources of ignition and protect from exposure to fire and heat. Avoid contamination from other insecticides. Keep container closed when not in use. Store in a place accessible by authorized persons only. Keep in a dry, cool place.
Work/Hygienic Procedures	Employees engaged in handling bulk quantities of Hydramethylnon should remove clothing and shower prior to exiting the work site. All employees working with the material should wash their hands prior to consuming food or tobacco products.
	A NIOSH-approved respirator must be worn by employees where it is not feasible to use engineering controls and employee-exposure exceeds 1.4 mg/m3.
	A NIOSH-approved cartridge respirator for pesticides is acceptable for exposure up to 10 X the TWA. Use a NIOSH-approved air or self-contained pressure demand respirator for higher levels of exposure.
	Food, gum and tobacco products should not be allowed in areas where material is being processed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls	Local exhaust ventilation should be used to maintain exposures below the 8-hour TWA and to control the generation of airborne dust from the active ingredient, Hydramethylnon, at points of transfer or other points where full enclosure is not feasible.
Eye/Face Protection	Dust-proof goggles are recommended for employees engaged in operations where there is a risk of accidental exposure to eyes from the active ingredient, Hydramethylnon.
Body Protection	Normal work clothing, like cloth overalls, is indicated.
<b>Respiratory Protection</b>	A NIOSH-approved respirator must be worn by employees where it is not

## MAXFORCE® Professional Insect Control® Granular Insect Bait

	feasible to use engineering controls and employee-exposure exceeds 1.4 mg/m3.
General Protection	All electrical wiring and equipment should meet the provisions of NFPA-70.
Exposure Limits	None Established

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Odor	None
Specific Gravity	0.60
Melting/Freezing Point	> 60 °C

#### SECTION 10. STABILITY AND REACTIVITY

Chemical Stability Stable under recommended storage conditions.

#### SECTION 11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity	The value mentioned relates to the active ingredient hydramethylnon. Male Rat: LD50: 1,131 mg/kg Moderately toxic.
Acute Dermal Toxicity	The value mentioned relates to the active ingredient hydramethylnon. Rabbit: LD50: > 5,000 mg/kg Practically non-toxic.
Acute Inhalation Toxicity	The value mentioned relates to the active ingredient hydramethylnon. Practically nonhazardous.
Skin Irritation	The value mentioned relates to the active ingredient hydramethylnon. Rabbit: moderately irritant Subacute dermal studies in which rabbits were exposed to the active ingredient at levels of 250 mg/kg/day for 21 days did not reveal any adverse findings.
Eye Irritation	The value mentioned relates to the active ingredient hydramethylnon. Rabbit: Reversible irritation after 24-hour wash phase. No irritation after a 20-second wash phase.
Chronic toxicity	No conclusive oncogenic effects were observed in mice and rats at any dose level tested. However, under microscopic examination, from chronic feeding studies in rats, mice and dogs, there was wasting of muscle and subcuaneous fat as well as tecticular atrophy in high dose males. Decreased body weight, anorexia and signs of amaciation were prominent in high dose feeding groups (200 ppm)
Assessment Carcinogenic ACGIH	ity

None

### MAXFORCE® Professional Insect Control® Granular Insect Bait

NTP None IARC None OSHA None	
Reproductive & Developmental Toxicity	In a multi-generation reproduction study, reproductive performance was not compromised by hydramethylnon administration. However, all high dose treatment groups (200 ppm) exhibited decreased body weights, anorexia and poor fertility.
Teratogenicity	No teratogenic effects were found at any dose level tested in albino rats. However, at the dose level of 30 mg/kg/day (highest dose tested), hydramethylnon produce both maternal and embryotoxic effects.
Mutagenicity	Technical Hydramethylnon was examined in the Ames mutagenicity test and was found to be nonmutagenic. Similar results were achieved in a Dominant Lethal Test conducted in male rats treated with hydramethylnon by gavage for 5-days.

#### SECTION 12. ECOLOGICAL INFORMATION

Environmental	Do not apply directly to water. Do not contaminate surface or ground water by
Precautions	cleaning equipment or disposal of wastes, including equipment wash water.
	Toxic to fish.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

General Disposal Guidance	Dispose in accordance with all local, state/provincial and federal regulations. Do not contaminate water, food, or feed by storage or disposal.
Container Disposal	Do not reuse empty container for any use other than this product. Wrap empty container and place in trash can.
RCRA Classification	Not Regulated under this Statute

#### **SECTION 14. TRANSPORT INFORMATION**

US DOT: NOT REGULATED for Domestic Surface Transport

IMDG: NOT REGULATED for Maritime Transport

#### **SECTION 15. REGULATORY INFORMATION**

**EPA Registration No.** 432-1255

#### MSDS Number: 00000001773 MSDS Version 1.4

# MAXFORCE® Professional Insect Control® Granular Insect Bait

S Federal Regulations TSCA list			
None			
TSCA 12b export notification			
None			
SARA Title III - section 302 - notification ar None	nd information		
SARA Title III - section 313 - toxic chemica	I release reporting		
Hydramethylnon	67485-29-4		1.0%
S States Regulatory Reporting CA Prop65			
This product does not contain any substance	ces known to the State	of California to cau	ise cancer.
This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.		67485-29-4	Developmental toxin.
	Hydramethylnon	67485-29-4	Male reproductive toxin.
US State right-to-know ingredients			
Hydramethylnon	67485-29-4	NJ	
anadian Regulations Canadian Domestic Substance List None			
nvironmental			
CERCLA			
None	-		
Clean Water Section 307 Priority Pollutants None	S		
Safe Drinking Water Act Maximum Contam None	ninant Levels		
nternational Regulations			
EU Classification None			
European Inventory of Existing Commercia None	al Substances (EINEC	S)	

# MAXFORCE® Professional Insect Control® Granular Insect Bait

<b>SECTION 16.</b>	OTHER INFORMATION	

	Health	Flammability	Reactivity	Others
NFPA	1	1	1	

Reason to Issue: Revised the following sections: Section 2 - Removed the other ingredients; Section 14 - Add transportation information; Section 15 - Update CA Prop65 information; Section 16 - Add NFPA codes.

Approval Date: 05/24/2004

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer AG. Bayer Environmental Science