Bayer Environmental Science



MSDS Number: 00000001775

MAXFORCE® FC Professional Insect Control® Roach Bait Stations

MSDS Version 1.3

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name MAXFORCE® FC Professional Insect Control® Roach Bait Stations

Chemical Name Common Name

MSDS Number 1775

Chemical Family
Chemical Formulation

EPA Registration No. 432-1257

Bayer Environmental Science 95 Chestnut Ridge Road Montvale, NJ 07645 USA

For MEDICAL, TRANSPORTATION or Other EMERGENCY call 1-800-334-7577 24 hours/day For Product Information call 1-800-331-2867

Product Use Description Fipronil Based Food Bait in a Child-Resistant Plastic Station

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name

CAS No.
Concentration % by Weight
Minimum Maximum

FIPRONIL
120068-37-3
0.0500

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Keep out of the reach of children. Hazards to humans and domestic animals.

Caution! Wash thoroughly with soap and water after handling.

Immediate Effects

Skin Minimally irritating to skin following prolonged direct contact. Not acutely toxic

Page 1 of 8

upon dermal exposure.

Ingestion May be harmful if ingested.

Medical Conditions No known health conditions are aggravated by exposure to this product.

Aggravated by Exposure

MAXFORCE® FC Professional Insect Control® Roach Bait Stations

MSDS Number: 000000001775 MSDS Version 1.3

Signs and Symptoms Untoward effects resulting from over-exposure are not anticipated to occur.

SECTION 4. FIRST AID MEASURES

Note to Physician There is no specific antidote.

TREATMENT FOR FIPRONIL OVERDOSE:

In severe cases of overexposure by oral ingestion, lethargy, muscle tremors, and in extreme cases, possibly convulsions may occur. Recommendations for treatment are based on anticonvulsant therapy as routinely administered to humans. Phenobarbital or diazepam may be useful in controlling convulsions induced by Fipronil.

Even when symptoms of Fipronil intoxication are rapidly reversed by treatment, the treatment must be continued for several days, gradually decreasing the dose of anticonvulsant based on the patient's clinical response. This is necessary due to the slow elimination of the compound.

SECTION 5. FIRE FIGHTING MEASURES

Flash Point > 94 °C / > 201 °F

Method: Tagliabue Closed Cup Not Flammable or Explosive

Fire and Explosion

Hazards

Under fire conditions, toxic, corrosive fumes are emitted due to the active

ingredient, fipronil.

Suitable Extinguishing

Media

Water, Foam, Carbon dioxide (CO2), Dry chemical

SECTION 6. ACCIDENTAL RELEASE MEASURES

General and Disposal Wear appropriate gear for the situation. See Personal Protection information in

Section 8.

Non-hazardous waste. Sweep up spilled material. Place in a container for disposal. Dispose in accordance with all local, state/provincial and federal

regulations.

Land Spill or Leaks If the active ingredient fipronil is spilled on the ground, the affected area should

be scraped clean and placed in an appropriate container for disposal.

Decontaminate tools and equipment following cleanup.

MAXFORCE® FC Professional Insect Control® Roach Bait Stations

MSDS Number: 000000001775

MSDS Version 1.3

SECTION 7. HANDLING AND STORAGE

Handling Procedures Fipronil: Avoid contact with skin, eyes and clothing. Avoid breathing vapors and

mists. Do not ingest.

Storing Procedures Do not contaminate water, food, or feed by storage or disposal. Keep in a dry,

cool place. Keep out of the reach of children.

Work/Hygienic Procedures

Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling

this material:

Do not store, use, and/or consume foods, beverages, tobacco products, or

cosmetics in areas where this material is stored.

Wash hands thoroughly with soap and water after handling and before eating,

drinking, chewing gum, using tobacco, or using the toilet.

Wash skin promptly to remove accidental contact with the active ingredient,

fipronil.

Remove and wash contaminated clothing before re-use. Then wash body

thoroughly with soap and water and put on clean clothing.

Wash clothing with detergent and hot water before reusing. Contaminated

clothing should not be taken home or laundered with other clothing.

Min/Max Storage Temperatures Not available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Where engineering controls are indicated by use conditions of a potential for

excessive exposure to the active ingredient exists, the following traditional exposure control techniques may be used to effectively minimize employee

exposures: local exhaust ventilation at the point of generation.

Body Protection Applicators and other handlers must wear: Long-sleeved shirt and long pants

Shoes plus socks

All pesticide handlers (mixers, loaders, and applicators) must wear a longsleeved shirt and long pants, socks, shoes, and chemical- resistant gloves. Consideration must be given both to durability as well as permeation resistance.

General Protection These recommendations provide general guidance for handling this product.

Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and

MAXFORCE® FC Professional Insect Control® Roach Bait Stations

MSDS Number: 00000001775 MSDS Version 1.3

piping systems for maintenance and repairs. Waste resulting from these procedures should be handled in accordance with Section 13: Disposal Considerations.

Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

Exposure Limits

None Established

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability Fipronil is stable under normal handling and storage conditions described in

Section 7.

Conditions to Avoid Direct sunlight

Exposure to extreme heat

Incompatibility Strong bases

Strong acids

Strong oxidizing agents

Hazardous Products of

Decomposition

Decomposition Type: thermal

Hydrogen fluoride Oxides of nitrogen Oxides of sulfur Carbon oxides Hydrochloric acid

MAXFORCE® FC Professional Insect Control® Roach Bait Stations

MSDS Number: 00000001775

MSDS Version 1.3

Hazardous Polymerization

(Conditions to avoid)

Will Not Occur

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity Data for 0.25% Formulation of Fipronil

Rat: LD50: > 5,000 mg/kg

Acute Dermal Toxicity Data for 0.25% Formulation of Fipronil

LD50: > 2,000 mg/kg

Acute Inhalation Toxicity Data for 0.25% Formulation of Fipronil

Rat: LC50: > 2.9 mg/l

Acute Respiratory Irritation: No test data found for product.

Skin Irritation Data for 0.25% Formulation of Fipronil

Rabbit: Slightly irritating.

Eye Irritation Data for 0.25% Formulation of Fipronil

Rabbit: Non-irritating.

Sensitization Data for 0.25% Formulation of Fipronil

Guinea pig: Non-sensitizing

Assessment Carcinogenicity

ACGIH None NTP

None IARC

None OSHA None

SECTION 12. ECOLOGICAL INFORMATION

Acute and Prolonged Toxicity to Fish

The following data is based on the technical grade active ingredient(s) (TGAI).

Rainbow trout LC50: 248 ug/l Exposure Time: 96 h

Mean concentration. Flow through.

The following data is based on the technical grade active ingredient(s) (TGAI).

Bluegill sunfish

MAXFORCE® FC Professional Insect Control® Roach Bait Stations

MSDS Number: 000000001775

MSDS Version 1.3

LC50: 85 ug/l

Exposure Time: 96 h

Mean concentration. Flow through.

Acute Toxicity to Aquatic

Invertebrates

The following data is based on the technical grade active ingredient(s) (TGAI).

Daphnia

EC50: 248 ug/l Exposure Limit: 48 h

Mean concentration. Flow through.

Toxicity Other Non Mammal Terr. Species

The following data is based on the technical grade active ingredient(s) (TGAI).

Mallard duck

LC50: > 5,000 mg/kg Exposure Time: 8 d

Dietary concentrations. Mean concentration.

The following data is based on the technical grade active ingredient(s) (TGAI).

Bobwhite quail LC50: 48 mg/kg Exposure Time: 8 d

Dietary concentrations. Mean concentration.

Environmental Precautions

This pesticide is toxic to birds, fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning equipment or disposal of waste. Do not contaminate water when disposing of equipment washwaters. Contain runoff to prevent entry into sewers or

waterways.

MAXFORCE® FC Professional Insect Control® Roach Bait Stations

MSDS Number: 000000001775 MSDS Version 1.3

Additional Environmental Information For chemical fate data call the product information phone number listed in

Section 1.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance

Wrap bait station in several layers of newspaper and discard in trash.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

EPA Hazardous Waste - No

RCRA Classification

Not Regulated under this Statute

SECTION 14. TRANSPORT INFORMATION

For transportation regulatory information, call the product information phone number in Section 1.

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 432-1257

US Federal Regulations

TSCA list None

TSCA 12b export notification

None

SARA Title III - section 302 - notification and information

None

SARA Title III - section 313 - toxic chemical release reporting

None

US States Regulatory Reporting

MAXFORCE® FC Professional Insect Control® Roach Bait Stations

MSDS Number: 000000001775

MSDS Version 1.3

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State right-to-know ingredients

None

Canadian Regulations

Canadian Domestic Substance List

None

Environmental

CERCLA

None

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None

International Regulations

EU Classification

None

European Inventory of Existing Commercial Substances (EINECS)

None

SECTION 16. OTHER INFORMATION

Health Flammability Reactivity Others NFPA 0 1 0

REASON FOR ISSUE: To remove other ingredients in Section 2; include transportation information in Section 14 and NFPA ratings in Section 16.

Approval Date: 10/31/2003

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer AG. Bayer Environmental Science